


PRIMARY FROM SEED

2 Seeds Per Hole



Large Secondaries
On Corners

Large Secondaries
On Corners


KEY
Large Secondaries

- Herbs
- Bush Beans
- Strawberries
- Bulb Onions
- Flowers

SECONDARY CROP FROM
SEED AND/OR TRANSPLANT
In Groups of 2 to 3 Seeds Per Dot
or Single Plant Per Dot

PRIMARY FROM TRANSPLANT

1 Plant Per Bag



2 Inches

2 Inches

BAG

At startup the Primary and Secondary Crops are planted in the same day with the Primary Crop being planted first followed by the planting of the Secondary Crop. Multiple Secondary Crop plantings follow thereafter.

{North}

First Planting

**PRIMARY CROP
PLACEMENT**
Box Conversion Bucket
Garden

EXAMPLE

A 20% to 30% block minimum is planted every 10 days to two weeks starting on the south end of the growing bed. In this scenario you would plant a block of 15 bags, 5 bags wide (east to west) by 2 & 1 bags long, (north to south).

{West}


{East}

KEY

- Articho = Artichoke
- B. Bean = Bush Bean
- B & G Onions = Bulb & Green Onions
- Cuc = Cucumber
- De Tomato = Determinate Tomato
- In Tomato = Indeterminate Tomato
- S. Squash = Summer Squash

First Planting

{South}



{North}

First Planting

**SECONDARY CROP
PLACEMENT**

**Box Conversion Bucket
Garden**

EXAMPLE

A 20% to 30% block minimum is planted every 10 days to two weeks starting on the south end of the growing bed. In this scenario you would plant a block of 15 bags, 5 bags wide (east to west) by 2 & 1 bags long, (north to south).

{West}


{East}

KEY

- Articho = Artichoke
- B. Bean = Bush Bean
- B & G Onions = Bulb & Green Onions
- Cuc = Cucumber
- De Tomato = Determinate Tomato
- In Tomato = Indeterminate Tomato
- S. Squash = Summer Squash

First Planting

{South}



{West}

First Planting

**PRIMARY CROP
PLACEMENT
Box Conversion Bucket
Garden**

EXAMPLE

A 20% to 30% block minimum is planted every 10 days to two weeks starting on the south end of the growing bed. In this scenario you would plant a block of 15 bags, 4 bags wide (east to west) by 2 bags long, (north to south).

{South}


{North}

KEY

- Articho = Artichoke
- B. Bean = Bush Bean
- B & G Onions = Bulb & Green Onions
- Cuc = Cucumber
- De Tomato = Determinate Tomato
- In Tomato = Indeterminate Tomato
- S. Squash = Summer Squash

First Planting

{East}



{West}

First Planting

**SECONDARY CROP
PLACEMENT**

**Box Conversion Bucket
Garden**

EXAMPLE

A 20% to 30% block minimum is planted every 10 days to two weeks starting on the south end of the growing bed. In this scenario you would plant a block of 15 bags, 5 bags wide (east to west) by 3 bags long, (north to south).

{South}

{North}

KEY

- Articho = Artichoke
- B. Bean = Bush Bean
- B & G Onions = Bulb & Green Onions
- Cuc = Cucumber
- De Tomato = Determinate Tomato
- In Tomato = Indeterminate Tomato
- S. Squash = Summer Squash

First Planting

{East}

